

Pro Clima Australia Pty Ltd PO Box 924 Gosford, NSW 2250

Phone: 1800 776 254 Email: welcome@proclima.com.au Web: www.proclima.com.au

Tuesday 25th July 2023

To Whom It May Concern:

RE: Testing of **SOLITEX EXTASANA** to AS 1530.2 1993.

I can confirm that **SOLITEX EXTASANA** has been tested to AS 1530.2 1993 – Methods for fire tests on building materials, components and structures, achieving a flammability index of less than 5 and has a thickness less than 1mm. This means it is suitable for use in:

- 1. Bushfire Attack Level (BAL 1-40) and Flame Zones (FZ) when used in accordance with AS 3959-2018 Construction of buildings in bushfire-prone areas.
- 2. Wherever non-combustible material is required in class 2 9 buildings in accordance with NCC 2022 Vol 1 C2D10 (6) (f)
- 3. Wherever non-combustible material is required in the housing provisions in accordance with NCC 2022 Vol 2 H3D2 (1) (f) General concession for non-combustible materials.

Should you have any further questions, please feel free to contact me at <u>jesse.clarke@proclima.com.au</u> or on 1800 776 254.

Warm Regards,

Jesse Clarke

Innovation and R&D Manager Pro Clima Australia Pty Ltd

lesse Clarke

4.